



2018

SPECBOOK

EZHAULER
ALUMINUM

STD

NOTES:

TABLE OF CONTENTS

CARGO TYPE/MODEL	PAGE
Enclosed Cargo 5/6-Wide	4
Enclosed Cargo 7-Wide	5
Enclosed 8.5-Wide	6
Ultimate Contractor Package	7
Enclosed Car Hauler	8
Advantage Car Hauler	9
Enclosed Snow	10
Options	11

EXTERIOR COLOR OPTIONS

Colors displayed in this pricebook are intended for reference purposes only. In situations where color-matching is critical, please contact us for a physical skin sample. In addition, the colors listed below are available in .030" skin only.



ENCLOSED 5 / 6-WIDE

STANDARD FEATURES

- All-Aluminum Construction, Integrated Design
- 16" O/C Wall Studs
- 24" O/C Floor & Roof Studs
- Subframe Tubing (2"x3" SA, 2"x3" Heavy Wall (TA))
- 5/8" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- LED Lighting
- V-Nose Design (24")
- 2000# Center Jack w/ Foot
- 3" Exterior Trim
- Luan Interior Walls (5 Wide)
- 3/8" WR Interior Walls (6 Wide)
- Rear Ramp w/Spring Assist
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- 32"x66" Paddle Handle Door (Optional on 5-Wide)
- (2) 5000# Safety Chains
- 1 Interior Dome Light w/Wall Switch (W-S 6' Wides only)
- 3500# Coupler w/ 2" Ball (Single Axles)
- 8000# Coupler w/ 2 5/16" Ball (6x12 TA Only)
- 4-Way Flat Power Connection
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC5x8-IF	EZEC5x10-IF	EZEC6x10-IF	EZEC6x12SA-IF	EZEC6x12TA-IF
Box WxLxH	60"x8"x66"	60"x10"x66"	72"x10"x75"	72"x12"x75"	72"x12"x75"
Interior WxLxH	57.5"x7'9"x64"	57.5"x9'9"x64"	69.5"x9'9"x73"	69.5"x11'9"x73"	69.5"x11'9"x73"
Overall WxLxH	80"x12'4"x84"	80"x14'4"x84"	94"x14'4"x93"	80"x16'4"x93"	80"x16'4"x94"
Deck Height	18"	18"	18"	18"	19"
Rear Door Opening WxH	52"x62"	52"x62"	64"x69"	64"x69"	64"x69"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-3500#	1-3500#	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2200#	2200#	2990#	2990#	7000#
Curb Weight	830#	875#	905#	955#	1040#
Payload	1370#	1325#	2085#	2035#	5960#
Hitch Height	17"	17"	17"	17"	18"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	DOOR/WINDOWS/ VENTS	UOM
Add Slope in V-Nose	EA	Locking Bar for Side Access Door	EA
6" Extra Height	PBF	Upgrade to Double Barn Doors	SET
9" Extra Height	PBF	Roof Vent	EA
EXTERIOR		LIGHTING	
Two-Tone Color Package w/ 6" Anodized Divider	EA	12V Economy Dome Light	EA
Two-Tone Color Package w/ No Anodized Divider	EA	12V Standard Wall Switch (5' Wides)	EA
FLOORING		ACCESSORIES	
Upgrade to 3/4" WR Decking (From 5/8" WR)	PBF	Stabilizer Jacks	PAIR
Upgrade to Quad Ply Flooring	PBF	Surface Mount D-Rings	EA
TIRE/WHEEL ASSEMBLIES & ACCESSORIES		HD Recessed D-Rings	EA
Upgrade to 15" Aluminum Rims from 15" Silver Mod	EA	Exterior Ladder to Roof	EA
Spare 15" Silver Mod	EA	HD Ladder Racks	EA
AXLES		Recessed Wheel Chock w/ (4) HD D-Rings	PKG
Upgrade to 1-3500# Torsion Ride (from Leaf Spring)	EA		

ENCLOSED 7-WIDE

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- 16" O/C Wall Studs
- 24" O/C Floor & Roof Studs
- 2" x 4" Subframe Tubing
- 3/4" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- 3/8" Water Resistant Interior Walls
- LED Lighting
- 2 Interior Dome Lights w/Wall Switch
- V-Nose Design (24")
- 3" Exterior Trim
- Interior Cove Trim Package
- 6'7" Interior Height
- 32"x66" Paddle Handle Door
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- Rear Ramp w/ Spring Assist
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack w/ Foot
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Limited 4-Year Warranty
- 12v Wall Switch



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC7x12SA-IF	EZEC7x12TA-IF	EZEC7x14-IF	EZEC7x16-IF	EZEC7x18-IF
Box WxLxH	82.5"x12"x81"	82.5"x12"x81"	82.5"x14"x81"	82.5"x16"x81"	82.5"x18"x81"
Interior WxLxHxH	79.5"x11'10"x79"	79.5"x11'10"x79"	79.5"x13'10"x79"	79.5"x15'10"x79"	79.5"x17'10"x79"
Overall WxLxH	101"x16'8"x100"	101"x16'8"x100"	101"x18'8"x100"	101"x20'8"x100"	101"x22'8"x100"
Deck Height	19"	19"	19"	19"	19"
Rear Door Opening WxH	76"x75"	76"x75"	76"x75"	76"x75"	76"x75"
Axle(s) - Qty/Rating	1-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	3500#	7000#	7000#	7000#	7000#
Curb Weight	1195#	1380#	1480#	1580#	1680#
Payload	2305#	5620#	5520#	5420#	5320#
Hitch Height	18"	18"	18"	18"	18"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	DOOR/WINDOWS/VENTS	UOM
Add Slope in V-Nose	EA	Locking Bar for Side Access Door	EA
3" Extra Height	PBF	Upgrade to Barn Doors	EA
6" Extra Height	PBF	Starter Flap for Ramp	EA
TIRE/WHEEL ASSEMBLIES & ACCESSORIES		ACCESSORIES	
Upgrade to 15" Aluminum Rims from 15" Silver Mod	EA	Stabilizer Jacks	PAIR
Spare 15" Silver Mod	EA	Surface Mount D-Rings	EA
Spare 15" Aluminum Rim	EA	Exterior Ladder to Roof	EA
AXLES		HD Ladder Racks	EA
Upgrade to 2-3500# Torsion (from TA Leaf Spring)	PKG	Tandem Wheel Chocks w/ (8) HD D-Rings	PKG
Upgrade to 2-5k Leaf Spring Axles w/ Frame Upgrade	EA		

ENCLOSED 8-WIDE

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- 2" x 5" Subframe Tubing
- 3/4" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- 3/8" Water Resistant Interior Walls
- LED Lighting
- 2 Interior Dome Lights w/Wall Switch
- (2) 7800# Safety Chains
- V-Nose Design (36")
- 3" Exterior Trim
- Interior Cove Trim Package
- 6'7" Interior Height
- 32"x66" Paddle Handle Door
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- HD Rear Ramp w/ Spring Assist
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack w/ Foot
- 7-Way Round Power Connection
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC8x12TA-IF	EZEC8x14-IF	EZEC8x16-IF	EZEC8x18-IF	EZEC8x20-IF
Box WxLxH	99"x12"x81"	99"x14"x81"	99"x16"x81"	99"x18"x81"	99"x20"x81"
Interior WxLxHxH	96"x11'10"x79"	96"x13'10"x79"	96"x15'10"x79"	96"x17'10"x79"	96"x19'10"x79"
Overall WxLxH	102"x16"x100"	102"x18"x100"	102"x20"x100"	102"x22"x100"	102"x24"x100"
Deck Height	19"	19"	19"	19"	19"
Rear Door Opening WxH	91"x75"	91"x75"	91"x75"	91"x75"	91"x75"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1795#	1915#	2035#	2150#	2280
Payload	5205#	5085#	4965#	3850#	3720#
Hitch Height	18"	18"	18"	18"	18"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	DOOR/WINDOWS/VENTS	UOM
Add Slope in V-Nose	EA	Locking Bar for Side Access Door	EA
3" Extra Height	PBF	Upgrade to Barn Doors	EA
6" Extra Height	PBF	Starter Flap for Ramp	EA
TIRE/WHEEL ASSEMBLIES & ACCESSORIES		ACCESSORIES	
Upgrade to 15" Aluminum Rims from 15" Silver Mod	EA	Stabilizer Jacks	PAIR
Spare 15" Silver Mod	EA	Surface Mount D-Rings	EA
Spare 15" Aluminum Rim	EA	Exterior Ladder to Roof	EA
AXLES		HD Ladder Racks	EA
Upgrade to 2-3500# Torsion (from TA Leaf Spring)	PKG	Tandem Wheel Chocks w/ (8) HD D-Rings	PKG
Upgrade to 2-5k Leaf Spring Axles w/ Subframe Upgrade	EA	EXTERIOR	
		Two Tone	PKG

ENCLOSED Ultimate Contractor Package

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers, Box Tube
- 2" x 5" Subframe Tubing
- 3/4" Water Resistant Decking
- 4" Drop Leaf Spring Suspension
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- 3/8" Water Resistant Walls
- 2 Interior Dome Lights w/Wall Switch
- Plastic Salem Vents
- V-Nose Design (36")
- 3" Exterior Trim
- LED Lights
- 32"x72" Paddle Handle Door
- 6'7" Interior Height
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- Barn Doors w/ 2 Stowable Ramps
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack w/ Foot
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Catwalk System w/ Ladder Racks, Ladder & Roller
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC7x14UCP-IF	EZEC7x16UCP-IF	EZEC8x14UCP-IF	EZEC8x16UCP-IF
Box WxLxH	82.5"x14'x81"	82.5"x16'x81"	99"x16'x81"	99"x16'x81"
Interior WxLxH	79.5"x13'10"x79"	79.5"x15'10"x79"	96"x15'10"x79"	96"x15'10"x79"
Overall WxLxH	101"x18'8"x100"	101"x20'8"x100"	102"x18'x100"	102"x20'x100"
Deck Height	19"	19"	19"	19"
Rear Door Opening WxH	76" x 75"	76" x 75"	91" x 75"	91" x 75"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#
Curb Weight	1590#	1705#	2025#	2275#
Payload	5410#	5295#	4975#	4725#
Hitch Height	18"	18"	18"	18"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	DOOR/WINDOWS/VENTS	UOM
Add Slope in V-Nose	EA	Roof Vent	EA
3" Extra Height	PBF	LIGHTING	
6" Extra Height	PBF	12V Dome Light	EA
9" Extra Height	PBF	INTERIOR	
AXLES		White Luan Ceiling	PBF
Upgrade to 2-5k Leaf Spring Axles w/ Subframe Upgrade	EA	ACCESSORIES	
TIRE/WHEEL ASSEMBLIES & ACCESSORIES		Stabilizer Jacks	PAIR
Upgrade to 15" Aluminum from 15" Silver Mod	EA	HD Recessed D-Rings	EA
Spare 15" Silver Mod	EA	DOOR/WINDOWS/VENTS	
Spare 15" Aluminum Rim (T07)	EA	Upgrade to Rear Ramp for UCP	EA
Floor-Level Spare Mount	EA	FLOORING	
Elevated Spare Tire Mount	EA	Upgrade to Quad Ply Flooring	PBF

ENCLOSED CAR HAULER STANDARD

STANDARD FEATURES

- All-Aluminum Construction, Integrated
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- 2"x5" Subframe Tubing (16'-22')
- 2"x6" Subframe Tubing (24')
- 2"x8" Subframe Tubing (26'+)
- 3/4" Water Resistant Decking
- One-Piece Seamless Aluminum Roof
- White Vinyl Faced Luan Walls
- LED Lighting
- 2 Interior Dome Lights w/Wall Switch
- Flat Front w/ Cast Corners
- (2) 7800# Safety Chains
- 3" Exterior Trim
- Interior Cove Trim Package
- 32"x72" Paddle Handle Door
- Beavertail Construction
- Screwless .030" Bonded Side Panels
- 6'10" Interior
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- HD Rear Ramp Door w/ Spring Assist
- 10000# Coupler w/ 2 5/16" Ball
- 5000# Center-Mounted Jack
- 7-Way Round Power Connection
- Limited 4-Year Warranty
- (4) HD D-Rings
- Leaf Spring 4" Drop Axles



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC8x16CH-IF	EZEC8x18CH-IF	EZEC8x20CH-IF	EZEC8x24CH-IF	EZEC8x28CH-IF	EZEC8x32CH-IF
Box WxLxH	99"x16"x84"	99"x18"x84"	99"x20"x84"	99"x24"x84"	99"x28"x84"	99"x32"x84"
Interior WxLxHxH	96"x15'10"x6'10"	96"x17'10"x6'10"	96"x19'10"x6'10"	96"x23'10"x6'10"	96"x27'10"x6'10"	96"x31'10"x6'10"
Overall WxLxH	102"x20"x104"	102"x22"x104"	102"x24"x104"	102"x28"x104"	102"x32"x106"	102"x36"x106"
Deck Height	17"	17"	17"	17"	19"	19"
Rear Door Opening WxH	91"x81"	91"x81"	91"x81"	91"x81"	91"x81"	91"x81"
Axle(s) - Qty/Rating)	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	225/75R15	225/75R15	225/75R15
GVWR	7000#	7000#	7000#	9990#	9990#	9990#
Curb Weight	2335#	2450#	2580#	2840#	3250#	3390#
Payload	4665#	4550#	4420#	7150#	6740#	6600#
Hitch Height	19"	19"	19"	19"	21"	21"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	ACCESSORIES	PRICE	UOM
Add Slope in V-Nose	EA	Additional HD Recessed D-Rings		EA
Upgrade to 36" V-Nose Construction	EA	EXTERIOR		
AXLES		Two-Tone Color		EA
Upgrade to 2-5k Leaf Spring Axles w/ Subframe Upgrade	PKG	TIRE/WHEEL ASSEMBLIES & ACCESSORIES		
Upgrade to 2-3500# Torsion Braked Axles-from Leaf Spring	PKG	Upgrade to 15" Aluminum Rims from 15" Silver Mod (205)		EA
Upgrade to 2-5000# Torsion Braked Axles (from TA Leaf Spring)	PKG	Upgrade to 15" Aluminum Rims from 15" Silver Mod (225)		EA
DOORS		Spare 15" Silver Mod (205)		EA
4' X 4' Escape Door	EA	Spare 15" Aluminum Rim (205)		EA
		Spare 15" Silver Mod (225)		EA
		Spare 15" Aluminum Rim (225)		EA

ADVANTAGE CAR HAULER 8-Wide

STANDARD FEATURES

- All-Aluminum Construction, Integrated
- Flat Nose Construction w/Cast Corners
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- 2"x6" Subframe Tubing (2"x8" - 26+)
- Extruded Aluminum Decking
- 4" Drop Leaf Spring Suspension
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- White Vinyl Faced Luan Walls
- 6" Extruded Kickplate
- Recessed LED Lighting
- HD Rear Ramp Door w/ Spring Assist
- 32"x72" Side Access Door w/ Paddle Handle
- 48" Beavertail Construction
- 2 Interior Dome Lights w/Wall Switch
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- 4 Recessed HD D-Rings
- 10000# Coupler w/ 2 5/16" Ball
- 5000# Center Mounted Jack
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Limited 4-Year Warranty

** Shown w/ Options



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	EZEC8x16ADV-IF	EZEC8x20ADV-IF	EZEC8x24ADV-IF	EZEC8x28ADV-IF
Box WxLxH	99"x16'x84"	99"x20'x84"	99"x24'x84"	99"x28'x84"
Interior WxLxHxH	96"x15'10"x6'10"	96"x19'10"x6'10"	96"x23'10"x6'10"	96"x27'10"x6'10"
Overall WxLxH	102"x20'x104"	102"x24'x104"	102"x28'x104"	102"x32'x106"
Deck Height	17"	17"	17"	19"
Rear Door Opening WxH	91"x81"	91"x81"	91"x81"	91"x81"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	225/75R15	225/75R15
GVWR	7000#	7000#	9990#	9990#
Curb Weight	TBD	2580#	2840#	3250#
Payload	TBD	4420#	6250#	6640#
Hitch Height	19"	19"	19"	21"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM
Upgrade to 36" V-Nose Construction	EA
EXTERIOR	
Two-Tone Color Package w/ 6" Anodized Div.	PKG
TIRE/WHEEL ASSEMBLIES & ACCESSORIES	
Upgrade to 15" Aluminum Rims from 15" Silver Mod	EA
Spare 15" Silver Mod	EA
Spare 15" Aluminum Rim	EA
AXLES	
Upgrade to 2-3500# Torsion Ride Axles (from Tandem Leaf Spring) (Same Pricing 5.2K Axles)	PKG

ENCLOSED SNOW [INTEGRATED FRAME MODEL]

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- 5/8" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- One-Piece Seamless Aluminum Roof
- 12" Water Resistant Kickplate (No Wall Liner)
- Recessed LED Exterior Lighting
- Rear Ramp Door w/ Spring Assist
- Screwless .030" Bonded Side Panels
- Front Ramp Door w/ Spring Assist
- V-Nose Design (56")
- 32"x66" Paddle Handle Door
- Interior Cove Trim Package
- 3" Exterior Trim
- Slide Track Tie-Down System
- 2 Interior LED Dome Lights w/Wall Switch
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- 10000# Coupler w/ 2" Ball
- 2000# Center Jack
- Limited 4-Year Warranty
- 7-Way Round Power Connection
- (2) 7800# Safety Chains



STANDARD SPECIFICATIONS

TRAILER MODEL	EZES7x14-IF	EZES7x18-IF	EZES7x22-IF	EZES7x24-IF
Box WxLxH	82.5"x14'x75"	82.5"x18'x75"	82.5"x22'x75"	82.5"x24'x75"
Interior WxLxHxH	79.5"x13'10"x73"	79.5"x17'10"x73"	79.5"x21'10"x73"	79.5"x23'10"x73"
Overall WxLxH	101"x20'8"x93"	101"x24'8"x93"	101"x28'8"x93"	101"x30'8"x93"
Deck Height	19"	19"	19"	19"
Rear Door Opening WxH	74.5"x69"	74.5"x69"	74.5"x69"	74.5"x69"
Front Door Opening WxH	57" x 69"	57" x 69"	57" x 69"	57" x 69"
Axle(s) - Qty/Rating)	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	6000#	6000#	6000#	6000#
Curb Weight	1730#	1930#	2005#	2080#
Payload	4270#	4070#	3995#	3920#
Hitch Height	14"	14"	14"	14"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS	UOM	FLOORING OPTIONS	UOM
Upgrade to 7.5' Wide	PBF	3/4" Quadply	PBF
6" Extra Height	PBF	Upgrade to 3/4" WR (From 5/8" WR)	PBF
9" extra Height	PBF		
Tapered Ramp Upgrade	EA		
TIRE/WHEEL ASSEMBLIES & ACCESSORIES		LIGHTING OPTIONS	
Upgrade to 15" Aluminum Rims from 15" Silver Mod	EA	Load Light w/ Switch	EA
Spare 15" Silver Mod	EA		
Spare 15" Aluminum Rim	EA		
AXLES		INTERIOR OPTIONS	
Upgrade to 2-3500# Torsion (from TA Leaf Spring)	PKG	White Luan Walls	PBF
		White Luan Ceiling	PBF
		DOORS	
		14"x14" Fuel Door	EA

POPULAR ENCLOSED OPTIONS

UOM

CONSTRUCTION OPTIONS

Standard Flat-Front Construction	EA
Cast Polished Corners for Flat-Front	PKG
Add Slope in V-Nose	PKG
3" Extra Height	PBF
6" Extra Height	PBF
9" Extra Height	PBF
12" Extra Height	PBF
18" Extra Height (Requires .090 Wall Stud & Car Hauler Rear Ramp Upgrade)	PBF
24" Extra Height (Requires .090 Wall Stud & Car Hauler Rear Ramp Upgrade)	PBF
Height Decrease 6"	PBF
Height Decrease 12"	PBF
Additional Length in 2' Intervals (7 wide)	Per 2'
Additional Length in 2' Intervals (8 wide)	Per 2'
Additional Length in 2' Intervals (Ultimate Contractor Package)	Per 2'
Upgrade to 7.5' Wide Box (From 7' Wide)	PBF
Upgrade to 16" O/C Floor Crossmembers	PBF
Upgrade to .090 Wall Studs (7 wide +)	PBF
Ladder to Roof (Outside V-Nose)	EA
Ladder Racks	EA
Upgrade to Roller on Rear Ladder Rack	EA
10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)	PKG
12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)	PKG
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)	PKG
16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)	PKG
Extend Tongue 12" for Car Haulers	PKG

DOORS, RAMPS & COMPARTMENTS

26" x 58" Side Access Door	EA
Upgrade to 32" x 72" Side Access Door (from 32" x 66" Side Access Door, 6'4" Minimum Height Required)	EA
Upgrade to Radius RV Door 32" x 72" w/Screen (Window Optional, Must have 32x72 Door Already)	EA
Upgrade to 36" Wide Side Access Door (from 32")	EA
Upgrade to 48" Wide Side Access Door (from 32")	EA
Upgrade to Rear Ramp Door w/Spring Assist	EA
Starter Flap for E-Z Hauler Ramp Doors	EA
Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)	EA
Diamond Plate Transition Flap	PKG
30" x 30" Generator Door w/Salem Vent (Lockable)	EA
36" x 36" Generator Door w/Salem Vent (Lockable)	EA
Generator Slide 16"	EA
Generator Box 30"Hx30"Wx24"D (Door Optional)	EA
Generator Box 36"Hx36"Wx24"D (Door Optional)	EA
Upgrade to Insulated Generator Compartment	EA
Propane Compartment 30"h x 30"w x 24" w/ Vented Non Locking Door	EA
Propane Compartment 36"h x 36"w x 24" w/ Vented Non Locking Door	EA
Fuel Door 14" x 14" w/Paddle Handle	EA
4' x 4' Escape Door	EA
8' x 6' Elite Escape Door w/ Removable Fender	EA
4' x 4' Concession Door	EA
4' x 6' Concession Door	EA
4' x 8' Concession Door	EA
RV-Style Pull-Out Step (Steel)	EA

POPULAR ENCLOSED OPTIONS (cont.)

UOM

DOORS, RAMPS & COMPARTMENTS (cont.)

Aluminum Fold-Down Step	EA
Aluminum Pull-Out Step	EA
Keyed Locking Hasps for Rear Ramp	SET
Locking Bar for Side Access Door	EA
Keyed Locking Hasps for Side Door Locking Bar	SET
Stainless Steel Corrosion Package (Upgrades to Stainless Steel Hinges and Aluminum Locking Bars on Rear Ramp or Barn Doors)	SET
Upgrade to 48" Stainless Locking Bars for Ramp	SET
Upgrade to Stainless Steel Hinges for Rear Ramp	SET
Upgrade to Stainless Steel Hinges for Barn Doors	SET

EXTERIOR OPTIONS

24" Anodized Side & Rear Trim Panel	PBF
24" Diamond Plate Side & Rear Trim Panel	PBF
Upgrade to 36" Stone Guard from 24"	EA
Upgrade to 48" Stone Guard from 24"	EA
Two-Tone Color w/ 6" Anodized Divider	PKG
Two-Tone Color w/ No Anodized Divider (Maximum Box Height of 96")	PKG
Anodized Nose Cone	PKG

INTERIOR OPTIONS

White Vinyl Faced Luan Ceiling	PBF
Walk On Roof	PBF
Upgrade to 3/8" Water Resistant Walls from Wood Luan Walls	PBF
Upgrade to 3/8" Plywood Walls from 3/8" Water Resistant	PBF
White Vinyl Faced Luan Walls from 3/8" Water Resistant	PBF
6" Extruded Aluminum Kick Plate	PBF
Diamond Plate Kick Plate (12")	PBF
Water Resistant Kickplate (12")	PBF

FLOORING

Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant)	PBF
Upgrade to 3/4" Water Resistant Flooring (from 5/8" Water Resistant)	PBF
Upgrade to Quad-Ply Flooring	PBF
Additional Layer of 3/4" Water Resistant Decking	PBF

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Upgrade to 13" Aluminum Rims from 13" Silver Mod	EA
Upgrade to 15" 225 Silver Mod from 15" 205 Silver Mod	EA
Upgrade to 15" Aluminum Rims from 15" Silver Mod 205	EA
Upgrade to 15" 225's Aluminum Rims from 15" Silver Mod 225	EA
Upgrade to 16" Aluminum Rims from 16" Silver Mod	EA
Upgrade to Black Aluminum Rims from Aluminum (Same Size)	EA
Spare 13" Silver Mod (175/R8013")	EA
Spare 15" Silver Mod (205/75R15")	EA
Spare 13" Aluminum Rim (175R13")	EA
Spare 15" Aluminum Rim (205/75R15) T07	EA
Spare 15" Silver Mod Wheel (225/75R15)	EA
Spare 15" Aluminum (225/75R15)	EA
Spare 16" Silver Mod Wheel (235/80R16)	EA
Spare 16" Aluminum (235/80R16)	EA
Elevated Spare Tire Mount	EA
Spare Tire Mount - Floor Level	EA
Recessed Diamond Plate Spare Tire Well	EA

POPULAR ENCLOSED OPTIONS (cont.)

UOM

AXLES

Upgrade from 1-2200# Ilder to 1 -3500# Idler Leaf Spring Axle	PKG
Upgrade from 1-3500# Ilder to 1 -3500# Braked Axles (Leaf Spring)	PKG
Upgrade from 1-3500# Ilder to 2 -3500# Braked Axles (Leaf Spring)	PKG
Upgrade to 2-5.2K Braked Leaf Spring Axles & Frame from 2-3.5K Braked Leaf Spring Axles (Cargo Models)	PKG
Upgrade to 2-5.2K Braked Leaf Spring Axles & Subframe from 2-3.5K Braked Leaf Spring Axles (8.5,UCP & Car Hauler Models)	PKG
Upgrade to 1-3500# Ilder Torsion from 1-3500# Leaf Spring Idler	PKG
Upgrade to 2-3500# Braked Torsion from 2-3500# Leaf Spring Braked	PKG
Upgrade to 2-5200# Braked Torsion from 2-5200# Leaf Spring Braked	PKG
Upgrade from 2-5200# Braked Torsion to 2-6000# Braked Torsion	PKG
Upgrade from 2-5200# Braked Torsion to 2-7000# Braked Torsion	PKG
Spread Axle Upgrade w/Tapered Skirting (8.5 Wides) (Torsion Ride only, exlcudes all other models)	PKG

TIE-DOWNS

Surface Mounted D-Rings	EA
Sliding D-Rings for Slide Track	EA
Heavy-Duty Recessed 5000# D-Rings	EA
Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc)	EA
Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel)	EA
Single Wheel Chock w/ 4 Surface Mount D-Rings	PKG
Tandem Wheel Chocks w/ 8 Surface Mount D-Rings	PKG
Single Wheel Chock w/ 4 Recessed HD-Rings	PKG
Tandem Wheel Chocks w/ 8 Recessed HD-Rings	PKG
E-Track Surface Mounted (Floor)	PLF
E-Track Surface Mounted (Wall)	PLF
E-Track HD Recessed w/Backing Plate (Floor)	PLF
E-Track HD with Backing Plate (Walls)	PLF
E-Track Aluminum Surface Mounted (Wall)	PLF
E-Track Aluminum HD Recessed w/ Backing Plate (Floor)	PLF
E-Track Aluminum HD Recessed w/ Backing Plate (Walls)	PLF
Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings	PLF

12V LIGHTING & ELECTRICAL

LED Back Up Lights	SET
Additional LED Brake Lights	SET
Additional LED Marker Lights	EA
Cold Weather HD Arctic Flex 7-Way Wire Harness	EA
Anodized Loading Lights (Over Spring)	EA
LED Loading Lights (1 Light w/Switch, 950 lumen)	PKG
LED Load Light Package (2 Light w/ Switch)	PKG
Upgrade Dome Light to LED 460 lumen Dome Light	EA
12V LED Porch Light w/Wall Switch	EA
12v Electric Jack w/Battery	PKG
12V Economy Dome Light	EA
12V LED 460 Lumen Dome Light	EA
12V Standard Wall Switch	EA
LED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner)	SET
18" Recessed LED Dome Light (require ceiling liner)	EA
Deep Cycle Battery & Box - Wired	EA

POPULAR ENCLOSED OPTIONS (cont.)

UOM

110V LIGHTING & ELECTRICAL

110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' Fluorescent Light (no additions available w/ this package)	PKG
110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights)	PKG
110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 48" LED Wraparound Lights, Deep Cycle Battery & Box	PKG
Upgrade to 50 AMP Breaker w/25' Shore Line	EA
30 AMP Motorbase Plug (Replaces Shoreline)	EA
30 AMP Power Converter	EA
110V Interior Wall Switch	EA
110V 3-Way Switch	EA
Interior GFI Receptacle	EA
Exterior GFI Receptacle	EA
4' LED Wraparound Light	EA
500W Recessed Quartz Light w/Housing	EA
13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)	EA
Heat Strip for A/C Unit	EA
Brace & Wire Stub for Future A/C	EA

CABINETS

V-Nose Base 2 Door Cabinet for 5' Wide Box 24" V-Nose	EA
V-Nose Overhead 2 Door Cabinet for 5' Wide Box 24" V-Nose (56"w x 23"d x 18"h)	EA
V-Nose Base 2 Door Cabinet for 6' Wide Box 24" V-Nose (69"w x 23"d x 37"h)	EA
V-Nose Overhead 2 Door Cabinet for 6' Wide Box 24" V-Nose (40"w x 13"d x 19"h)	EA
V-Nose Base 2 Door Cabinet for 7' Wide Box w/ 24" V-Nose (78"w x 22"d x 37"h)	EA
V-Nose Base 4 Door Cabinet for 7' Wide Box w/ 36" V-Nose (74"w x 31"d x 37"h)	EA
V-Nose Overhead 2 Door Cabinet for 7' Wide Box w/ 24" V-nose (43"w x 12"d x 19"h)	EA
V-Nose Overhead 2 Door Cabinet for 7' Wide Box w/ 36" V-nose (56"w x 24"d x 19"h)	EA
V-Nose Base 2 Door Cabinet for 8' Wide Box w/ 36" V-Nose (83"w x 30"d x 37"h)	EA
V-Nose Base 4 Door Cabinet for 8' Wide Box w/ 36" V-Nose (83"w x 30"d x 37"h)	EA
V-Nose Overhead 2 Door Cabinet for 8' Wide Box w/ 36" V-nose (56"w x 19"d x 19"h)	EA
28" Base Cabinet L-Extention	EA
3' Wardrobe Cabinet (36"w x 24"d x 76"h (Single Full Height Door, 1 Shelf, Clothes Rod)	EA
4' Straight Wall Base 2 Door Cabinet (48"w x 24"d x 37"h)	EA
6' Straight Wall Base 2 Door Cabinet (72"w x 24"d x 37"h)	EA
8' Straight Wall Base 2 Door Cabinet (96"w x 24"d x 37"h)	EA
8' Overhead 4 Door Cabinet (96"w x 12"d x 18"h)	EA
6' Overhead 4 Door Cabinet (72"w x 12"d x 18"h)	EA
4' Overhead 2 Door Cabinet (48"w x 12"d x 18"h)	EA
62" Economy Overhead Cabinet - 1-Door, 62"Lx18"Hx12"D	EA
6' Wheel Well Cabinet 72"Lx62"Hx6 3/4"D, 2-Door w/Shelving	EA
4' Coat Hook Package.. - (1) 4' Piece Slide Track.. - (6) Sliding Hooks	PKG
4' Clothing Rod for Cabinets	EA

POPULAR ENCLOSED OPTIONS (cont.)

UOM

VENTS & WINDOWS

Roof Vent (Extra)	EA
Upgrade to 14"x14" Roof Vent (From Plastic Salem Vents)	EA
12 Volt Power Vent	EA
110 Volt Power Vent (Require 110V PKG #2)	PKG
Maxx Air Vent Cover	EA
Plastic Side Wall Vents	PAIR
Aluminum, Two-Way Directional Salem Vents	PAIR
18" x 24" Radius Sliding Window	EA
24" x 36" Radius Sliding Window	EA

MISC OPTIONS, ACCESSORIES

Stabilizer Jacks	PAIR
Scissor Jacks (Camper Style)	PAIR

TRACK MATS & SKI GUIDES

Ski Guides 12' Box Only	SET
Ski Guides 14' Box Only	SET
Ski Guides 16' Box Only	SET
Ski Guides 18' Box Only	SET
Ski Guides 20' & 22' Box Only	SET
Ski Guides 24' Box Only	SET
Ski Guides - Front Ramp	SET
Ski Guides - Rear Ramp	SET
Track Mats 12' Box only	SET
Track Mats 14' Box only	SET
Track Mats 16' Box only	SET
Track Mats 18' Box only	SET
Track Mats 20' Box only	SET
Track Mats 22' Box only	SET
Track Mats 24' Box only	SET
Track Mats - Front Ramp	SET
Track Mats - Rear Ramp	SET
Paddle Grabbers - (Set of 6 Pieces)	SET

EZHAULER
ALUMINUM